



PREFORMED LINE PRODUCTS
The connection you can count on.

Guy Marker



COMMUNICATIONS




ENERGY



SPECIAL INDUSTRIES



SOLAR



PLP® Distribution Products

GUY MARKER

Description

The PREFORMED™ Guy Marker is designed to identify down guys or other wire and cable installations where anchoring devices are exposed to pedestrian and/or vehicular traffic. The Guy Marker comes in four different profiles with five attachment combinations.

Material

- Manufactured out of Polyethylene or PVC
- Premium UV inhibitors for long life span

Features

- One or two piece designs
- Lightweight
- Easily installed on strand sizes ranging from 3/16" – 1/2" (4.7 – 12.7 mm)
- Reflective stripe option available
- Deters vandalism
- Ships in boxes, bags, or bulk on pallets
- Installs on down guys in seconds




LOOP LOCK® Pin (LLP)



Cable Tie Attachment (CT)



Short Lock Strap (SLS)



Profile Options: L to R; Full Round, "B" Profile, Two Piece Spiral Round, Round Overlapping



Stainless Steel Clamp (SC)



Integral Helical Pigtail (PT)

Attachment Types

- Universal Cable Tie (UCT)
- LOOP LOCK® Pin (LLP) (patented)
- Integral Helical Pigtail (PT)
- Short Lock Strap (SLS)
- Stainless Steel Clamp (SC)
- Cable Tie (CT)



World Headquarters
660 Beta Drive
Cleveland, Ohio 44143

Mailing Address:
P.O. Box 91129
Cleveland, Ohio 44101

Telephone: 440.461.5200
Fax: 440.442.8816
Web Site: www.preformed.com
E-mail: inquiries@preformed.com


© 2015 Preformed Line Products
Printed in U.S.A.
EN-SS-1106-1
1.15.00

PLP Catalog Number	Length (m)	Color	Material	Tube Profile	Tube O.D. (mm)	Attachment Type
PG-5718	8' (2.4)	Yellow	Poly	Round	1-1/2" (38)	PT/SLS
PG-5518	8' (2.4)	Yellow	PVC	Round	1-1/2" (38)	PT/SLS
PGMS3921	8' (2.4)	Yellow	Poly	Round	1-1/2" (38)	UCT
PG-5750	8' (2.4)	Orange/Yellow	Poly	Spiral/Round	1-1/4" (32)	2-CT
PG-5423	8' (2.4)	Yellow	Poly	"B"	1-1/2" (38)	LLP
NEW! PG-6000SC	8' (2.4)	Yellow	Poly	Overlap	1-1/2" (38)	SC
NEW! PG-6100SC	8' (2.4)	Orange	Poly	Overlap	1-1/2" (38)	SC
PG-5718P	8' (2.4)	Yellow	Poly	"B"	1-1/2" (38)	PT/CT
RPG-5618	8' (2.4)	Yellow/Reflective Tape	PVC	Round	1-1/2" (38)	PT/SLS

See the Energy Catalog for an expanded selection. Contact PLP for other options.

Guy Markers

PREFORMED™ Guy Markers are used for identifying Down Guys or other wire and cable installations where anchoring devices are exposed to pedestrian and/or vehicular traffic.



Profile Options

PREFORMED™ Guy Markers are available in four basic profiles:

- Full Round – 1-1/2" and 1-1/4" OD (Outer Diameter)
- "B" Profile "heart shape" – 1-1/2" effective OD
- Two Piece Spiral Round – 1-1/4" OD, helically slit to create two halves
- Round-Overlapping – 1-1/2" OD

Material

Guy Markers are available in Polyethylene and PVC materials as shown in the tables. All materials employ UV inhibitors to enhance life span performance.

Color

Guy Markers are available in yellow, orange, and gray. For other available colors and combinations of colors, consult PLP.

Reflective tape is available as an option. If the desired configuration is not shown in the catalog tables, contact PLP.

Attachment Devices

PREFORMED™ Guy Markers utilize four basic attachment devices. These are:

- Cable Tie/Universal Cable Tie
- LOOP LOCK® Pin (patented)
- Integral Helical Pigtail (used in conjunction with Short Lock Strap or Cable Tie)
- Stainless Steel Clamp




LOOP LOCK® Pin:

A unique, one-way method that applies through the marker's tube and loop of a GUY-GRIP® Dead-end. Once applied, the tube is "locked" onto the Dead-end and cannot be removed easily by vandals. Removal and reinstallation of the marker by authorized personnel is possible with a new pin, which can be supplied separately.



Integral Helical Pigtail:

Attached to the inside of the marker tube and wraps on to secure to the strand. Generally fits a strand range of 3/16" – 1/2" diameters and provides a unique one-way slip down motion for ease of installation. The installed pigtail resists upward movement. The pigtail is made from specially formulated material designed to provide high strength, tear resistance, and no corrosion.



Universal Cable Tie:

A positive locking device to deter vandalism. Recommended on dead-end hardware that restricts the use of the LOOP LOCK® Pin.






Guy Markers

Attachment Devices Continued

Short Lock Strap and Cable Tie:

The Short Lock Strap is used with the pigtail device and helps deter vandalism. The **Cable Tie** is supplied as an alternative to the Short Lock Strap where hardware restricts its application.



Stainless Steel Clamp:

The stainless steel clamp is riveted to one end of the guy marker. The clamp's position gives linemen an option to install the guy marker with the clamp on top or bottom of the tube. The stainless steel clamp quickly and easily secures the guy marker to down-guy wire by tightening the 9/16" bolt, included in the clamp assembly. This guy marker features a collapsible profile that wraps on itself when installed on down-guy wire.

Universal Marker



Two Piece Spiral Round Markers:

Designed to provide increased visibility for many guying or cable applications. It can provide coverage from the ground line, around fittings and above normal reach depending upon installation.

The addition of a third Helical section can provide up to 360° coverage for diameters over 1". This method may require special application techniques as outlined in the application procedure.

Limited coverage is possible for diameters over 1-5/8" or over large, non-circular fittings. Consult the application procedure for special techniques.

Catalog Number	Length		Color	Material	Tube OD		Attachment Type	Carton Information	
	Feet	Meters			Inches	(mm)		Units	Wt./Lbs.
PG-5750	8	2.4	Orange/ Yellow	Poly	1-1/4	32	2-CT	25	30
PG-5752	8	2.4	Orange	Poly	1-1/4	32	2-CT	25	30

Guy Markers

Classic Guy Markers



Attachment Devices

PT	Helical Pigtail
SLS	Short Lock Strap - used in conjunction with the Helical Pigtail
CT	Cable Tie - used in conjunction with the Helical Pigtail
LLP	LOOP LOCK® Pin (patented)
UCT	Universal Cable Tie
SC	Stainless Steel Clamp

Catalog Number	Color	Material	Tube Profile	Tube OD	Attachment Type	Carton Information	
						Units	Wt./Lbs.
PG-5718	Yellow	Poly	Round	1.5"	PT/SLS	25	39
PG-5718P	Yellow	Poly	"B"	1.5"	PT/CT	25	35
PG-5518	Yellow	PVC	Round	1.5"	PT/SLS	25	33
PGMS3921	Yellow	Poly	Round	1.5"	UCT	25	33
PGMS4072	Yellow	Poly	"B"	1.5"	UCT	25	35
PG-5405	Yellow	Poly	Round	1.5"	LLP	25	36
PG-5423	Yellow	Poly	"B"	1.5"	LLP	25	33
PG-5462	Yellow	Poly	"B"	1.5"	2 LLP	25	36
RPG-5618	Yellow/Reflective Tape	PVC	Round	1.5"	PT/SLS	25	33
RPGMS12030	Yellow/Reflective Tape	Poly	"B"	1.5"	UCT	25	36
RPGMS10469	Yellow/Reflective Tape	Poly	"B"	1.5"	LLP	25	36
PG-5738	Orange	Poly	Round	1.5"	PT/SLS	25	34
PG-5708	Gray	Poly	Round	1.5"	PT/SLS	25	34
PG-5708P	Gray	Poly	"B"	1.5"	PT/CT	25	36
PGMS7578	Yellow	Poly	Round	2"	PT/SLS	25	49
PG-6500	Yellow	Poly	Round	2"	None	25	34
PG-6600	Orange	Poly	Round	2"	None	25	34
PG-6500SC	Yellow	Poly	Round	2"	SC	25	42
PG-6600SC	Orange	Poly	Round	2"	SC	25	42
PG-6500PIN	Yellow	Poly	Round	2"	LLP	25	39
PG-6600PIN	Orange	Poly	Round	2"	LLP	25	39
PG-6500TIE	Yellow	Poly	Round	2"	UCT	25	38
PG-6600TIE	Orange	Poly	Round	2"	UCT	25	38

Note: For different lengths, attachments, and/or the addition of reflective tape, contact your PLP representative or Preformed Line Products.

Package options: Bagged – add suffix code B;
Bulk – add suffix code BULK



Guy Markers

Economy Guy Markers



Do not let the word “Economy” fool you. PLP Economy Guy Markers are made in the USA of the same quality, UV stabilized Polyethylene material as our standard guy markers. We have merely simplified the designs to create a streamline manufacturing process. All PLP Economy Guy Markers are 1-1/4" diameter, round, 8 feet long, and are available with choice of attachments; LOOP-LOCK pin, Universal Cable Tie or a tube with no attachment device.

Features

- One piece designs
- Lightweight
- Easily installed on strand sizes 3/16" – 1/2" (4.7 – 12.7 mm)
- Installs on down guys in seconds
- Ships in boxes, bags or bulk on pallets
- Special pallet pricing available

Material

- Manufactured out of Polyethylene
- Premium UV inhibitors for a long life span
- Nylon pin or cable tie

Attachment Devices


UCT	Universal Cable Tie
LLP	LOOP LOCK® Pin

Catalog Number	Color	Attachment Type	Carton Information	
			Units	Wt./Lbs.
PG-5414	Yellow	LLP	25	32
PG-5411	Gray	LLP	25	32
PGMS4988	Yellow	None	30	38
PGMS3830	Orange	None	30	38
PGMS9838	Yellow	UCT	30	39

Package options: **Bagged** – add suffix code **B**;
Bulk – add suffix code **BULK**

Guy Markers

Wrap-Around Guy Marker



The PREFORMED™ Wrap-Around Guy Marker is designed to identify down guys or other wire and cable installations where anchoring devices are exposed to pedestrian and/or vehicular traffic. The Wrap-Around Guy Marker is available with a choice of three attachment devices; Universal Cable Tie, LOOP LOCK Pin, Stainless Steel Clamp or just as a plain tube.

Features

- 8 foot length
- Larger 2.75" profile ideal for covering exposed anchor
- One piece design
- Lightweight
- Easily installed on strand sizes 3/6" – 5/8" (4.7 – 15.9 mm)
- Standard 1.5" diameter profile and large 2.75" diameter
- Reflective options available
- Deters vandalism
- Installs on down guys in seconds
- Special pallet pricing available

Material

- Manufactured out of Polyethylene
- Premium UV inhibitors for a long life span
- Nylon pin or cable tie

Attachment Devices

UCT	Universal Cable Tie
LLP	LOOP LOCK® Pin (Patented)
SC	Stainless Steel Clamp

Catalog Number	Orange Catalog Number	Tube OD	Attachment Type	Carton Information	
				Units	Wt./Lbs
PG-6000	PG-6100	1.5"	None	25	32
PG-6000PIN	PG-6100PIN	1.5"	LLP	25	32
PG-6000SC	PG-6100SC	1.5"	SC	25	32
PG-6000TIE	PG-6100TIE	1.5"	UCT	25	32
NEW PG-8000	PG-8100	2.75"	None	15	34
PG-8000SC	PG-8100SC	2.75"	SC	15	34
PG-8000TIE	PG-8100TIE	2.75"	UCT	15	34

Note: For different lengths, attachments, and/or the addition of reflective tape, contact your PLP representative or Preformed Line Products.



Universal Cable Tie



LOOP LOCK® Pin (LLP)



Stainless Steel Clamp