

# Modular Electronic Time Controls

<http://waterheatertimer.org/Intermatic-timers-and-manuals.html#GM40AVE>

## 24-Hour/7-Day General Purpose Time Switch



### Applications:

- Lighting Controls
- HVAC/R
- Pumps, motors, fan controls
- Access control
- Agricultural facilities
- General electrical circuits

### Features:

- Available in a variety of enclosures
- Enclosure provides space for field added contactor or other accessories

### Specifications:

Model #	Voltage	# of Circuits	Switch Rating	Programs	Enclosure †
GMXFM1D20-I-120	120	1	SPDT,	20	NEMA 1,
	VAC		16 Amp		Indoor Enclosure
GMXFM1D20-I-24	24	1	SPDT,	20	NEMA 1,
	VAC/VDC		16 Amp		Indoor Enclosure
GMXFM1D20-I-240	240	1	SPDT,	20	NEMA 1,
	VAC		16 Amp		Indoor Enclosure
GMXFM1D20-O-120	120	1	SPDT,	20	NEMA 3R,
	VAC		16 Amp		Outdoor Enclosure
GMXFM1D20-O-24	24	1	SPDT,	20	NEMA 3R,
	VAC/VDC		16 Amp		Outdoor Enclosure
GMXFM1D20-O-240	240	1	SPDT,	20	NEMA 3R,
	VAC		16 Amp		Outdoor Enclosure
GMXFM1D50-I-12	12	1	SPDT,	50	NEMA 1,
	VAC/VDC		16 Amp		Indoor Enclosure
GMXFM1D50-I-120	120	1	SPDT,	50	NEMA 1,
	VAC		16 Amp		Indoor Enclosure
GMXFM1D50-I-24	24	1	SPDT,	50	NEMA 1,
	VAC/VDC		16 Amp		Indoor Enclosure
GMXFM1D50-I-240	240	1	SPDT,	50	NEMA 1,
	VAC		16 Amp		Indoor Enclosure
GMXFM1D50-O-12	12	1	SPDT,	50	NEMA 3R,
	VAC/VDC		16 Amp		Outdoor Enclosure
GMXFM1D50-O-120	120	1	SPDT,	50	NEMA 3R,
	VAC		16 Amp		Outdoor Enclosure
GMX2FM2D50I-120	120	2	SPDT,	50	NEMA 1,
	VAC		16 Amp		Indoor Enclosure
GMX2FM2D50I-24	24	2	SPDT,	50	NEMA 1,
	VAC		16 Amp		Indoor Enclosure
GMX2FM2D50I-240	240	2	SPDT,	50	NEMA 1,
	VAC		16 Amp		Indoor Enclosure
GMX2FM2D50O-120	120	2	SPDT,	50	NEMA 3R,
	VAC		16 Amp		Outdoor Enclosure

† See page 48 for details.



**GMX2FM2D50-I-120**



1.6 lbs  
0.73 kg

-14°F  
(-10°C)  
to  
131°F  
(55°C)