

COMMERCIAL Preferred Parts®

The *premium line* of approved replacement parts.

Common Replacement Parts



Light Duty Brass Drain Valve:

DRAIN VALVES

- **Brass Drain Valve** - 3/4" x 2 1/4" shank
SP6070G (single)
- **Brass Drain Valve** - 3/4" x 3" shank -
Commercial Light Duty
SP12112S (single)
- **Standard Melet** - 3/4" NPT x 2 1/4" shank
SP12039 (single)
- **Brass Drain Valve** - 3/4" x 2 1/4" shank
SP12112G (single)
- **Brass Full Flow Drain Valve 3.1"** (gas)
SP12231B (single)
- **Brass Full Flow Drain Valve 3.1"** (electric)
AP12231C-1 (single)

ANODE RODS

- **R Tech Resistor Magnesium Anode Rod** -
44" long x .700 dia
SP11309C (single)
- **Galvo Magnesium** - 44" long x .840 dia
SP11345C (single)
- **Magnesium Anode Rod** - 44" long x .840 dia
SP11524C (single)
- **Magnesium Anode Rod** - 58" long x .840 dia
SP11524Z (single)
- **R Tech Resistor Magnesium Anode Rod** -
44" long x .900 dia
SP11526C (single)
- **R Tech Resistor Magnesium Flexible Link
Anode Rod** - 52" long - 12" sections
SP8371B (single)

DIP TUBES

- **Dip Tube with anti-siphon hole** - 3/4" x 54" long
- clear (North Carolina code) with gasket
SP11251R (single)
- **Dip Tube with anti-siphon hole** - 1" x 26" long
with gasket
SP11269C (single)
- **Dip Tube with anti-siphon hole** - 3/4" x 54" long
with gasket
SP11248R (single)

GASKETS

- **Hand Hole Gasket**
SP5886 (single)



*R-Tech Resistor
Magnesium Flexible
Link Anode Rod:*

RESIDENTIAL *Universal™ Parts*

The value line for all your replacement parts needs.



Non-Resistored Heating Elements

COPPER SCREW-IN ELEMENTS

- **120V/1500W**, 7-5/8", HWD
UV12890 (Single)
- **120V/2000W**, 7-5/8", HWD
UV12892 (Single)
- **240V/1500W**, 7-5/8", HWD
UV12891 (Single)
- **240V/2000W**, 7-5/8", HWD
UV12893 (Single)
- **240V/2500W**, 9-3/8", HWD
UV12894 (Single)
- **240V/3000W**, 10-9/16", HWD
UV12895 (Single)
- **240V/3500W**, 12-9/16", HWD
UV12896 (Single)
- **240V/3800W**, 13-7/16", HWD
UV12897 (Single)
- **240V/4000W**, 13-9/16", HWD
UV12898 (Single)
- **240V/4500W**, 13-9/16", HWD
UV12899 (Single)
- **240V/4500W**, 10", MWD
UV13049 (Single)
- **240V/5500W**, 10-1/8", LWD
UV12900 (Single)
- **240V/4500W**, 11-3/4", LWD
UV12901 (Single)

COPPER 1-3/8" SCREW-IN ELEMENTS

- **240V/4500W**, 11-9/16", LWD
UV12902 (Single)

COPPER FLANGE ELEMENTS

- **120V/1500W**, 7-5/8", HWD
UV12944 (Single)
- **240V/1500W**, 7-5/8", HWD
UV12908 (Single)
- **240V/2500W**, 10", HWD
UV13047D (Single)
- **240V/3500W**, 12-9/16", HWD
UV12909 (Single)

- **240V/4500W**, 13-9/16", HWD
UV12910 (Single)

- **240V/3000W**, 10", HWD
UV13047A (Single)

- **240V/5500W**, 12", HWD
UV13047B (Single)

- **240V/4500W**, 9", MWD
UV13047C (Single)

COPPER FLAT FLANGE ELEMENTS

- **240V/4500W**, 13-9/16", HWD
UV12907 (Single)
- **240V/4500W**, 14", LWD
UV13051 (Single)

SLIP-IN ELEMENTS

- **240V/3000W**, HWD
UV13066A (Single)
- **240V/3500W**, HWD
UV13066B (Single)
- **240V/4500W**, HWD
UV13066C (Single)

STAINLESS STEEL SCREW-IN ELEMENTS

- **240V/3500W**, 13-7/8", LWD
UV12903 (Single)
- **240V/4500W**, 13-1/2", LWD
UV12904 (Single)
- **240V/5500W**, 13-1/2", LWD
UV12905 (Single)
- **120V/1500W**, 12", HWD
UV13050B (Single)
- **240V/2500W**, 11", HWD
UV13050A (Single)

STAINLESS STEEL FLANGE ELEMENT

- **240V/2500W**, 11", LWD
UV12911 (Single)
- **240V/4500W**, 14", HWD
UV13048 (Single)

Note: Elements listed not recommended with Rheem, Ruud, and GE products. Use of this component may lead to premature failure of the product and voiding of manufacturers warranties.

HWD = High Watt Density
MWD = Medium Watt Density
LWD = Low Watt Density

RESIDENTIAL *Universal™ Parts*

The value line for all your replacement parts needs.



Universal Gasket Kit

Element Accessories

- **Gasket Kit** - (1) screw-in gasket, (1) flange, (1) 4-hole gasket, (4) 1/4" - 20 x 3/4" hex slot UV12914 (Single)
- **Universal Adapter Kit** - (1) flat gasket, (1) round gasket, (1) element adapter UV6830 (Single)
- **4" Heavy Duty Element Wrench** UV38628 (Single)



Heavy duty element wrench


Universal Parts Plumber's Pack

The plumber's pack is an all-inclusive "tune-up" kit for electric water heaters featuring the most popular replacement parts on the market.

- Two non-resistored heating elements and gaskets
- Upper and lower thermostats
- Economy package that includes all the major components for a complete "tune-up" for the water heater

Plumber's Pack Kit - includes two non-resistored 4500 watt screw-in heating elements, two heating element gaskets, and upper & lower thermostats

UV20018 (single)




RESIDENTIAL *Universal™ Parts*

The value line for all your replacement parts needs.



Thermocouple Kit



Thermostat Bracket

Electric Thermostats*

- **APCOM Upper Thermostat**
(max 150 degrees) & High Limit (170 degree)
- Two element non-simultaneous 208, 240, 277, 480 volt
UV13359 (single)
- **Therm-O-Disc Upper Thermostat**
(max 150 degrees) & High Limit (170 degree)
- Two element simultaneous 208, 240, 277, 480 volt
UV11699 (single)
- **Therm-O-Disc Upper Thermostat**
(max 150 degrees) & High Limit (170 degree)
- Single element 120 volt
UV11700 (single)
- **APCOM Lower Thermostat**
(max 150 degrees) simultaneous and non-simultaneous 208, 240, 277, 480 volt
UV13360 (single)
- **Therm-O-Disc Lower Thermostat**
(max 150 degrees) & High Limit (170 degree)
- Two element non-simultaneous 208, 240, 277, 480 volt
UV11695 (single)
- **Therm-O-Disc Upper Thermostat**
(max 150 degrees) simultaneous and non-simultaneous 208, 240, 277, 480 volt
UV11698 (single)

Gas Replacement Parts

- **18" Thermocouple Kit**
UV6379L (Single)
- **24" Thermocouple Kit**
UV6379R (Single)
- **30" Thermocouple Kit**
UV6379H (Single)
- **36" Thermocouple Kit**
UV6379S (Single)

Common Replacement Parts

- **Flared Dip Tube**
SP11248R
- **Threaded Dip Tube**
AP12933
- **Screw-In Thermostat Bracket**
AS23557-6
- **Heat Traps** (flapper type)
UV12992 (Single: 2/pkg.)
- **Watts 100XL-4;** 3/4" inlet x 3/4" discharge - M150# (150 PSI pressure / 210 degree temperature) up to 100,000 BTU
SP12574 (single)
- **Watts 100XL;** 3/4" inlet x 3/4" discharge (150 PSI pressure / 210 degree temperature) - long shank up to 100,000 BTU
SP8346 (single)
- **Drain Valve; Standard Melet**
3/4" NPT x 2 1/4" shank
UV12039 (single)

* Electric thermostats may be ordered in bulk. Box consists of 50 thermostats of the same part number. Bulk pricing is less than the single price. Please call for pricing.

RESIDENTIAL *Universal™ Parts*

The value line for all your replacement parts needs.



Drain Pan with Fittings:

- Available in plastic or aluminum in a variety of sizes.

Accessories

WATER CONNECTORS

- **12" Flexible Copper Water Connector 3/4"**
UV10351 (Single: 2/Pkg.)
- **15" Flexible Copper Water Connector 3/4"**
UV10505 (Single: 2/Pkg.)
- **18" Flexible Copper Water Connector 3/4"**
UV10506 (Single: 2/Pkg.)
- **24" Flexible Copper Water Connector 3/4"**
AP13006
- **18" Flexible Copper Water Connector 3/4" FIP x 3/4" Sweat**
AP13012
- **24" Flexible Copper Water Connector 3/4" FIP x 3/4" Sweat**
AP13015
- **Stainless Steel 3/4" Water Connector 12"**
UV12927 (Single: 2/Pkg.)
- **Stainless Steel 3/4" Water Connector 15"**
UV12928 (Single: 2/Pkg.)
- **Stainless Steel 3/4" Water Connector 18"**
UV12929 (Single: 2/Pkg.)

GAS CONNECTORS

- **12" Stainless Steel Gas Connector 1/2" FIP x 1/2" MIP**
SP10349
- **18" Stainless Steel Gas Connector 1/2" FIP x 1/2" MIP**
SP10350
- **24" Stainless Steel Gas Connector 1/2" FIP x 1/2" MIP**
AP13014
- **48" Stainless Steel Gas Connector 1/2" FIP x 1/2" MIP**
AP13013

INSTALLATION KITS

- **15" Water Connector Kit 3/4"***
UV20010 (Single: 2/Pkg.)
- **15" Gas Connector Kit 3/4"***
UV20016 (Single: 2/Pkg.)
- **15" Electric Connector Kit 3/4"***
UV20013 (Single: 2/Pkg.)
- **18" Water Connector Kit 3/4"***
UV20011 (Single: 2/Pkg.)
- **18" Gas Connector Kit 3/4"***
UV20017 (Single: 2/Pkg.)

- **18" Electric Connector Kit 3/4"***
UV20014 (Single: 2/Pkg.)
- **12" Water Connector Kit 3/4"***
UV20009 (Single: 2/Pkg.)
- **12" Gas Connector Kit 3/4"***
UV20015 (Single: 2/Pkg.)
- **12" Electric Connector Kit 3/4"***
UV20012 (Single: 2/Pkg.)

FITTINGS

- **3/4" Compression Fitting x 3/4" MPT**
UV10374 (Single: 2/Pkg.)
- **1/2" Compression Fitting x 3/4" MPT**
UV10354 (Single: 2/Pkg.)
- **Nipples 3/4" x 2-1/4" PP Lined**
UV8397G (Single: 2/Pkg.)
- **Nipples 3/4" x 3" PP Lined**
AP8397N-8
- **Dielectric Union**
AP13045 (Single)

OTHER ACCESSORIES

- **Center Top Run-Off Tube**
SP11956B (Bulk: 12)
- **20" Plastic Drain Pan with Fittings (Electric)**
SP12934 (Bulk: 20)
- **22" Plastic Drain Pan with Fittings (Electric)**
SP12937 (Bulk: 20)
- **24" Plastic Drain Pan with Fittings (Electric)**
SP12935 (Bulk: 20)
- **26" Plastic Drain Pan with Fittings (Electric)**
SP12936 (Bulk: 10)
- **30" Plastic Drain Pan with Fittings**
SP13319 (Bulk: 5)
- **20" Aluminum Drain Pan with Fittings**
SP12939 (Bulk: 10)
- **22" Aluminum Drain Pan with Fittings**
SP12941 (Bulk: 10)
- **24" Aluminum Drain Pan with Fittings**
SP12942 (Bulk: 10)
- **26" Aluminum Drain Pan with Fittings**
SP12940 (Bulk: 10)
- **30" Aluminum Drain Pan with Fittings**
SP13325 (Bulk: 5)
- **Gas Control Extender**
SP11620

* Gas connector kits contain (2) 3/4" nipples, (2) 3/4" x 12", 15", 18" flex water connectors, (1) teflon tape, (2) 3/4" comp. fittings, (1) 18" flex. gas connector.
Electric connector kits contain (2) 3/4" x 2" nipples, (2) 3/4" x 12", 15", 18" flex water connectors, (1) teflon tape, (2) 3/4" MPT comp. fittings.

Water connector kits contain (2) 3/4" x 2" nipples, (2) 3/4" x 12", 15", 18" flex water connectors, (1) teflon tape.