



Commercial Refrigeration Universal Defrost Timers UNI-LINE® PRODUCT KNOWLEDGE

© 2009 Invensys. All Rights Reserved.

The names, logos, and taglines identifying the products and services of Invensys are proprietary marks of Invensys or its subsidiaries. All third party trademarks and service marks are the proprietary marks of their respective owners.

Subjects We Will Cover In This Session

- Applications
- Refrigeration Systems
- Why Defrost Control?
- Existing Product Line
- UL873 Vs. UL917
- Relay Information
- Quiz
- Q&A


Paragon® Universal Defrost Timer (UDT)

Commercial Refrigeration Applications

- Refrigeration equipment
- Reach-In Coolers or Walk-In Freezers
- Prevents unwanted build-up of frost or ice
- Shuts off compressor electric or alters its function (hot gas defrost)
- Helps maintain the refrigeration equipment's ability to remove heat from the controlled space



Refrigeration System



Pressure Control



Frost build up
Defrost Control


Temperature Control



Paragon® Universal Defrost Timer (UDT)

Why do I need a Defrost Control?

- Ice is a great insulator
- Frost build-up on evaporator coil makes it less efficient
- Defrost control will determine when to stop the cooling to allow the frost and ice build-up to thaw
- Decision is based either on a time schedule (defrost timer) or a precise reading of the temperature or pressure of your equipment (defrost control)



Paragon® Universal Defrost Timer (UDT)

Why do I need a Paragon Defrost Control?


- Both mechanical and electronic controls are rated to UL873 *commercial refrigeration* standards
- Controls allow for a more precise termination of the defrost cycle based on a temperature or pressure value
- Manufactured products for the refrigeration industry since 1905
- Controls are often called defrost timers because most popular method of defrosting equipment is based on a time schedule
- Easy to install and program even in retrofit applications

Paragon® Universal Defrost Timer (UDT)

Why use an Electronic Defrost Timer?

The Paragon electronic defrost control matches traditional mechanical defrost controls and adds a number of advantages:

- ✓ Multi-Voltage control is *smart* voltage
- ✓ Designed to fit into existing enclosures
- ✓ Certified to UL873 Standards
- ✓ Built-in power loss protection
- ✓ No pins or trippers to lose
- ✓ Manual defrost option
- ✓ LED status indication
- ✓ Real time clock
- ✓ Backlit display



Paragon[®] Universal Defrost Timer (UDT)

Why are these features important?

Feature	Benefit
Multi-Voltage	The universal voltage (120/208-240 VAC) requires no switch selection or different terminals.
Fits into existing enclosures	There is no need to bend or replace conduit or run new wire. Replacement can be as easy as <i>wire up, wire down</i> on the same terminals.
Certified UL873	Designed specifically for use with refrigeration equipment and to refrigeration standards. Tested at 30,000 cycles vs. 6,000.
Built in power-loss protection	There are no batteries to buy or replace. All program and time settings are maintained for a minimum of 100 hours.

Paragon[®] Universal Defrost Timer (UDT)

Why are these features important continued?

Feature	Benefit
No pins or trippers to lose	LCD Display gives indication of defrost start and stop time without pins that might slip or fall off.
Manual defrost	15 minute manual defrost is perfect for <i>between</i> cycles or system maintenance.
LED status	Green LED for Defrost and Red for Refrigerate
Real-time clock	Intuitive clock display that reads <i>clockwise</i> and indicates time of day with a flashing cursor.
Backlit display	No need for flashlights in dark mechanical rooms.

Paragon® Universal Defrost Timer (UDT)

What's the big deal about UL873?

- UL873 sets specific functional and life cycle standards for equipment used in temperature regulation (refrigeration)
- UL873 insures the equipment will maintain safe and proper operation in commercial refrigeration environments
- Competitive products (timers) use a different standard
- UL917 is for **clock-operated switches**
- Paragon **universal** defrost products are the only **multi-voltage** defrost controls rated to UL873 standards

Paragon[®] Universal Defrost Timer (UDT)

How does UL873 differ from UL917?

Standard	UL873	UL917
Life Cycle	30,000 Cycles	6,000 cycles
Switch events-per-day	12 per day	4 per day
Environment	-30°F to 130°F	<i>room temperature</i>
Load Requirements	Maximum load (30A) allowed by contacts	No load required

- As the standard relates to Paragon and competitive defrost controls
- Paragon controls rated to UL873 are made to last 5 times longer than timers rated to UL917 standards

Paragon[®] Universal Defrost Timer (UDT)

The Paragon 9045-00 and 9145-00 Universal Defrost Timers are the only *defrost timers* engineered to refrigeration standards.

- 9145-00
 - Time Initiated
 - Temperature or Pressure Terminated
- 9045-00
 - Time Initiated
 - Time Terminated



Paragon[®] Universal Defrost Timer (UDT)

The Paragon 9145-00 is a general purpose defrost control that can be used for both Time Initiate/Time Terminate and Time Initiate/Temperature or Pressure Terminate

Most refrigeration applications do not need more than 30 Amps

Part number and Relay Information

Relay Contacts	SPDT NC Contact	SPDT NO Contact	SPST Common Contact
Relay Rating	15 A resistive @ 120V AC to 240V AC ¼ HP @ 120V AC, ½ HP @ 208V AC to 240V AC	30 A resistive @ 120V AC to 240V AC 1 HP @ 120V AC 2 HP @ 208V AC to 240V AC	30 A resistive @ 120V AC to 240V AC 1 HP @ 120V AC 2 HP @ 208V AC to 240V AC
Device Connection	Fan (Typical) Compressor (Optional)	Defrost Device (Typical)	Compressor (Typical) Fan (Optional)

Paragon[®] Universal Defrost Timer (UDT)

The Paragon 9045-00 is a general purpose defrost control that is used for Time Initiate/Time Terminate only defrost cycle

Part number and Relay Information

Relay Contacts	SPST #1 NC Contact	SPST #2 Common Contact
Relay Rating	30 A resistive @ 120V AC to 240V AC 1 HP @ 120V AC 2 HP @ 208V AC to 240V AC	30 A resistive @ 120V AC to 240V AC 1 HP @ 120V AC 2 HP @ 208V AC to 240V AC
Device Connection	Compressor (Typical)	Defrost Device (Typical)

Paragon® Universal Defrost Timer (UDT)

- 1.) The standard used for temperature regulating (refrigeration) equipment is UL873.
 - True
 - False

- 2.) The Paragon 9145-00 defrost control will terminate a defrost cycle based on which of these inputs?
 - Pressure
 - Temperature
 - Time
 - All of the above

- 3.) Which input voltage will not power a Paragon electronic UDT?
 - 24 VAC
 - 120 VAC
 - 208 VAC
 - 240 VAC

Website Tools: www.Uni-Line.com

UNI-LINE®

[About Us](#) [Careers](#) [Contact Us](#)

[Uni-Line Home](#)

[Products](#)

[Customer Support](#)

[Online Services](#)

Search Options

By Part # or Keyword

Categories

Thermostats

Enter part numbers

Welcome to the Uni-Line Catalog

Access to Uni-Line® product data is easier than ever. Now you can quickly search for the information you need on HVAC, commercial refrigeration, appliance and thermostat products. Linked with literature, [cross reference guides](#) and [FAQ Knowledge Database](#), you'll see the Uni-Line difference with just a few clicks.

See The Difference



Click here if you saw our ad in Contractor Excellence Magazine.

RANCO Innovation you expect.

Product Categories	Customer Support	Online Services
Thermostats	Customer Service	Customer Toolbox
Zoning	Technical Service	Product Cross Reference
Indoor Air Quality	Dealer Price Information	Distributor Locator
Alarms and Detectors		Publication Zone
Heating		Contractor ID
Refrigeration		
Cooking		

Click here for more information

Cross reference

When You Have Uni-Line® Questions

Telephone:

Technical Service 1-800-445-8299

Technical Service Fax 1-630-260-7294

Customer Service 1-800-304-6563

Customer Service Fax 1-800-426-0804

Website:

Uni-Line® Catalog Website: www.Uni-Line.com

Cross Reference Website: www.uni-line.com/templates/xrefsearch.aspx

General Information Websites for:

Robertshaw®, Paragon®, Eliwell™, Ranco®, and Publication Zone®

www.InvensysControls.com

www.RobertshawTstats.com

www.ToolBox.InvensysControls.com



Invensys®, Robertshaw®, Paragon®, Ranco®, Eliwell™, Uni-Line®, and Make the Connection™ are propriety marks of Invensys or its subsidiaries. All third party trademarks and service marks are the propriety marks of their respective owners.

© 2009 Invensys Controls. All rights reserved.